



## SAFETY DATA SHEET SETCRETE ACRYLIC PRIMER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name SETCRETE ACRYLIC PRIMER

Internal identification SETACP/5

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Primer.

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Supplier F.Ball and Co. Ltd.  
Churnetside Business Park,  
Station Road,  
Cheddleton,  
Leek,  
Staffordshire. ST13 7RS  
Tel: 01538 361633 Mon-Fri 8.30am-5.00pm (Exc Bank Holidays)  
E.mail: msds@f-ball.co.uk

#### 1.4. Emergency telephone number

Emergency telephone 01538 361633 Mon-Fri 8.30am - 5.00pm (excluding Bank Holidays)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

#### 2.2. Label elements

Hazard statements EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE. May produce an allergic reaction.

#### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## SETCRETE ACRYLIC PRIMER

<b>SODIUM BENZOATE</b>			<b>1-5%</b>
CAS number: 532-32-1	EC number: 208-534-8	REACH registration number: 01-2119460683-35	
<b>Classification</b>			
Eye Irrit. 2 - H319			

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Treat symptomatically.
<b>Inhalation</b>	No specific recommendations.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The product is considered to be a low hazard under normal conditions of use.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	May cause sensitisation or allergic reactions in sensitive individuals.
<b>Eye contact</b>	May cause temporary eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Does not decompose when used and stored as recommended.

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	No specific firefighting precautions known.
<b>Special protective equipment for firefighters</b>	Wear chemical protective suit.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

## SETCRETE ACRYLIC PRIMER

**Personal precautions**      Wear protective gloves, eye and face protection.

### 6.2. Environmental precautions

**Environmental precautions**      Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**      Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

**Reference to other sections**      For personal protection, see Section 8. See Section 11 for additional information on health hazards. Collect and dispose of spillage as indicated in Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions**      Provide adequate ventilation. Good personal hygiene procedures should be implemented.

**Advice on general occupational hygiene**      Wash at the end of each work shift and before eating, smoking and using the toilet.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**      Protect from freezing and direct sunlight. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container.

### 7.3. Specific end use(s)

**Specific end use(s)**      The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**      Provide adequate ventilation.

**Eye/face protection**      Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

**Hand protection**      Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

**Other skin and body protection**      No specific requirements are anticipated under normal conditions of use.

**Hygiene measures**      Provide eyewash station. No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

**Respiratory protection**      No specific recommendations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance**      Liquid.

## SETCRETE ACRYLIC PRIMER

<b>Colour</b>	Green.
<b>Odour</b>	Typical acrylic
<b>Odour threshold</b>	Not determined.
<b>pH</b>	pH (concentrated solution): 5.5-6.5
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Other flammability</b>	Not applicable.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.01 - 1.05 @ 20°C
<b>Bulk density</b>	Not determined.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Water Thin @ 20°C
<b>Explosive properties</b>	Not applicable.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Not applicable.
<b>Comments</b>	Information given is applicable to the product in its ready-to-use form.
<b><u>9.2. Other information</u></b>	
<b>Other information</b>	None.
<b>Refractive index</b>	Not available.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not determined.
<b>Volatility</b>	55.5-59.5% (Water)
<b>Saturation concentration</b>	Not determined.
<b>Critical temperature</b>	Not determined.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 10 g/l.

## SETCRETE ACRYLIC PRIMER

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid freezing. Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** No information available.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** No specific test data are available.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** No specific test data are available.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** No specific test data are available.

#### Skin corrosion/irritation

**Skin corrosion/irritation** No information available.

#### Animal data

No specific test data are available.

#### Human skin model test

No specific test data are available.

#### Extreme pH

No specific test data are available.

#### Serious eye damage/irritation

**Serious eye damage/irritation** No specific test data are available.

#### Respiratory sensitisation

**Respiratory sensitisation** No specific test data are available.

#### Skin sensitisation

**Skin sensitisation** No specific test data are available.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Not determined.

**Genotoxicity - in vivo** Not determined.

## SETCRETE ACRYLIC PRIMER

### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

**Target organ for carcinogenicity** Not relevant.

**IARC carcinogenicity** Not listed.

### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

**Reproductive toxicity - development** Does not contain any substances known to be toxic to reproduction.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not applicable.

**Target organs** Not relevant.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not applicable.

**Target organs** Not relevant.

### Aspiration hazard

**Aspiration hazard** Not relevant.

**General information** No specific health hazards known.

**Inhalation** The product is considered to be a low hazard under normal conditions of use.

**Ingestion** No harmful effects expected from quantities likely to be ingested by accident.

**Skin contact** Skin irritation should not occur when used as recommended.

**Eye contact** May cause discomfort.

**Acute and chronic health hazards** No specific health hazards known.

**Medical symptoms** No specific symptoms known.

**Medical considerations** No information available.

## SECTION 12: Ecological information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish.

### Acute aquatic toxicity

**Acute toxicity - fish** No specific test data are available.

**Acute toxicity - aquatic invertebrates** Not determined.

**Acute toxicity - aquatic plants** Not determined.

**Acute toxicity - microorganisms** Not determined.

**Acute toxicity - terrestrial** Not determined.

## SETCRETE ACRYLIC PRIMER

### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** Not determined.

**Short term toxicity - embryo and sac fry stages** Not determined.

**Chronic toxicity - aquatic invertebrates** Not determined.

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

**Phototransformation** Not determined.

**Stability (hydrolysis)** Not determined.

**Biodegradation** Not determined.

**Biological oxygen demand** No specific test data are available.

**Chemical oxygen demand** No specific test data are available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not applicable.

### 12.4. Mobility in soil

**Mobility** The product is non-volatile.

**Adsorption/desorption coefficient** Not determined.

**Henry's law constant** Not determined.

**Surface tension** Not determined.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Collect and place in suitable waste disposal containers and seal securely. Dispose of waste product or used containers in accordance with local regulations

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

## SETCRETE ACRYLIC PRIMER

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### **Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** Control of Substances Hazardous to Health Regulations 2002 (as amended).

**Guidance** Workplace Exposure Limits EH40.  
Safety Data Sheets for Substances and Preparations.

**Authorisations (Annex XIV Regulation 1907/2006)** No specific authorisations are known for this product.

**Restrictions (Annex XVII Regulation 1907/2006)** No specific restrictions on use are known for this product.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Abbreviations and acronyms used in the safety data sheet** ATE: Acute Toxicity Estimate.  
PBT: Persistent, Bioaccumulative and Toxic substance.  
vPvB: Very Persistent and Very Bioaccumulative.

**General information** Technical Data Sheet

**Key literature references and sources for data** Health and Safety Executive Guidance Note EH40 (amended annually). Workplace Exposure Limits.

**Revision comments** Section 2: update.

**Revision date** 05/01/2021

**Revision** 5

**Supersedes date** 01/04/2016

**SDS status** Approved.



## SETCRETE ACRYLIC PRIMER

### Hazard statements in full

H319 Causes serious eye irritation.

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.